

PAC-Shield CI Packaging and Weight



PAC-SHIELD CI FOIL AND COATED GLASS

PACKAGING AND WEIGHT

	FOAM	R-VALUE	PCS/PL	LBS/4X8 PC	LBS/4X8 PL	4X8 SF/PL	SF 48' TRL	WEIGHT PER SF
FOIL	1.00	6.5	48	6.37	305.66	1536	36864	0.20
	1.50	10.0	32	9.02	288.77	1024	24576	0.28
	2.00	13.3	24	11.71	281.09	768	18432	0.37
	2.50	17.0	19	14.37	272.99	608	14592	0.45
	3.00	20.3	16	17.02	272.38	512	12288	0.53
	3.50	24.0	13	19.71	256.26	416	9984	0.62
	4.00	27.0	12	22.37	268.42	384	9216	0.70
FOIL (CLASS A)	1.00	6.3	48	8.67	416.00	1536	36864	0.27
	1.50	9.5	32	12.99	416.00	1024	24576	0.41
	1.60	10.2	30	13.85	416.00	960	23040	0.43
	2.00	13.0	24	17.34	416.00	768	18432	0.54
	2.50	16.0	19	21.66	412.00	608	14592	0.68
	3.00	19.0	16	26.00	416.00	512	12288	0.81
	3.50	22.0	13	30.33	395.00	416	9984	0.95
	4.00	25.2	12	34.66	395.00	384	9216	1.08
COATED GLASS	1.00	6.0	48	12.24	587.47	1536	36864	0.38
	1.50	9.0	32	15.03	480.90	1024	24576	0.47
	2.00	12.1	24	17.85	428.40	768	18432	0.56
	2.50	15.3	19	20.64	392.14	608	14592	0.64
	3.00	18.5	16	23.43	374.85	512	12288	0.73
	3.50	21.7	13	26.25	341.25	416	9984	0.82
	4.00	25.0	12	29.04	348.47	384	9216	0.91
COATED GLASS (CLASS A)	1.00	6.0	48	12.50	600.00	1536	36864	0.39
	1.50	9.0	32	15.35	491.20	1024	24576	0.48
	2.00	12.1	24	18.20	436.80	768	18432	0.57
	2.50	15.3	19	20.75	394.25	608	14592	0.65
	3.00	18.5	16	23.30	372.80	512	12288	0.73
	3.50	21.7	13	26.15	339.95	416	9984	0.82
	4.00	25.0	12	29.00	348.00	384	9216	0.91

*Truck load quantity varies on gross weight of loaded truck.

PAC-SHIELD CI NAIL BASE

PACKAGING AND WEIGHT

	SIZE	FOAM	R-VALUE	PCS/PL	LBS/4X8 PC	LBS/4X8 PL	4X8 SF/PL	SF 48' TRL	WEIGHT PER SF
1/16" OSB	1.5	1.0	6.6	32	60.24	1927.7	1024	24576	1.880
	2.0	1.5	9.6	24	63.03	1512.7	768	18432	1.970
	2.5	2.0	12.7	19	65.85	1251.2	608	14592	2.060
	3.0	2.5	15.9	16	68.64	1098.2	512	12288	2.140
	3.5	3.0	19.1	13	71.43	928.6	416	9984	2.230
	4.0	3.5	22.3	12	74.25	891	384	9216	2.320
	4.5	4.0	25.6	10	77.04	770.4	320	7680	2.410
5/8" OSB	1.6	1.0	6.6	30	77.24	2317.2	960	23040	2.411
	2.1	1.5	9.6	22	80.03	1760.7	704	16896	2.501
	2.6	2.0	12.7	18	82.85	1491.3	576	13824	2.591
	3.1	2.5	15.9	15	85.64	1284.6	480	11520	2.671
	3.6	3.0	19.1	13	88.48	1150.2	416	9984	2.761
	4.1	3.5	22.3	11	91.25	1003.8	352	8448	2.851
	4.6	4.0	25.6	10	94.04	940.4	320	7680	2.941
5/8" PLY	1.6	1.0	6.8	30	67.24	2017.2	960	23040	2.101
	2.1	1.5	9.8	22	70.03	1540.7	704	16896	2.188
	2.6	2.0	12.9	18	72.85	1311.3	576	13824	2.277
	3.1	2.5	16.1	15	75.64	1134.6	480	11520	2.364
	3.6	3.0	19.3	13	78.43	1019.6	416	9984	2.451
	4.1	3.5	22.5	11	81.25	893.8	352	8448	2.539
	4.6	4.0	25.8	10	84.04	940.4	320	7680	2.626
3/4" PLY	1.7	1.0	7.0	28	77.24	2162.7	896	17920*	2.411
	2.2	1.5	10.0	21	80.03	1680.6	672	16128	2.501
	2.7	2.0	13.1	17	82.85	1408.5	544	13056	2.591
	3.2	2.5	16.3	15	85.64	1284.6	480	11520	2.671
	3.7	3.0	19.5	12	88.43	1061.2	384	9216	2.761
	4.2	3.5	22.5	11	91.25	1003.8	352	8448	2.851
	4.7	4.0	26.0	10	94.04	940.4	320	7680	2.941

*Truck load quantity varies on gross weight of loaded truck.



PAC-SHIELD CI PLY

PACKAGING AND WEIGHT

	SIZE	FOAM	R-VALUE	PCS/PL	LBS/4X8 PC	LBS/4X8 PL	4X8 SF/PL	SF 48' TRL	WEIGHT PER SF
CI Ply 5/8" Ft Ply	1.6	1.0	6.8	30	77.24	2,317.20	960	19200*	2.411
	2.1	1.5	9.8	22	80.03	1,760.70	704	16896	2.501
	2.6	2.0	12.9	18	82.85	1,491.30	576	13824	2.591
	3.1	2.5	16.1	15	85.64	1,284.60	480	11520	2.671
	3.6	3.0	19.3	13	88.43	1,149.60	416	9984	2.761
	4.1	3.5	22.5	11	91.25	1,003.80	352	8448	2.851
	4.6	4.0	25.8	10	94.04	940.40	320	7680	2.941
CI Ply (Class A) 5/8" Ft Ply	1.6	1.0	6.8	30	77.50	2,325.00	960	19200*	2.422
	2.1	1.5	9.8	22	80.35	1,767.70	704	16896	2.511
	2.6	2.0	12.9	18	83.20	1,497.60	576	13824	2.600
	3.1	2.5	16.1	15	85.75	1,286.25	480	11520	2.679
	3.6	3.0	19.3	13	88.30	1,147.90	416	9984	2.759
	4.1	3.5	22.5	11	91.15	1,002.65	352	8448	2.848
	4.6	4.0	25.8	10	94.00	940.00	320	7680	2.937
CI Ply 3/4" Ft Ply	1.7	1.0	7.0	28	87.24	2,442.70	896	17920*	2.726
	2.2	1.5	10.0	21	90.03	1,890.60	672	13440*	2.813
	2.7	2.0	13.1	17	92.85	1,578.50	544	13056	2.902
	3.2	2.5	16.3	15	95.64	1,434.60	480	11520	2.989
	3.7	3.0	19.5	12	98.43	1,181.20	384	9216	3.076
	4.2	3.5	22.7	11	101.25	1,113.80	352	8448	3.164
	4.7	4.0	26.0	10	104.04	1,040.40	320	7680	3.251
CI Ply (Class A) 3/4" Ft Ply	1.7	1.0	7.0	28	87.50	2,450.00	896	17920*	2.734
	2.2	1.5	10.0	21	90.35	1,897.35	672	13440*	2.823
	2.7	2.0	13.1	17	93.20	1,584.40	544	13056	2.913
	3.2	2.5	16.3	15	95.75	1,436.25	480	11520	2.992
	3.7	3.0	19.5	12	98.30	1,179.60	384	9216	3.072
	4.2	3.5	22.7	11	101.15	1,112.65	352	8448	3.161
	4.7	4.0	26.0	10	104.00	1,040.00	320	7680	3.250

*Truck load quantity varies on gross weight of loaded truck.

